Efficient, Nearly Optimal Nonlinear Scaling of Predictors for Statistical Forecast Equations

F. Wesley Wilson
MIT Lincoln Laboratory
244 Wood St.
Lexington, MA 02173
phone (781) 893-9324 fax (781) 981-0632 email wesw@ll.mit.edu

Award Number: N0001499MP0046 http://www.onr.navy.mil/sci_tech/ocean/onrpgabr.htm

LONG-TERM GOALS

My long term goal is to develop a methodology for the determination of statistical forecast models, which includes data-determined nonlinear data scaling, which can be applied to data sets of moderate size, and for which the development process can be substantially automated.

OBJECTIVES

The objectives for this year are the development of manual techniques for the selection of piecewise linear structure functions, to evaluate their utility for the development of statistical forecast models, and to evaluate their value for the improvement of statistical forecast equations.

These models will be applied to several cases for the development of forcast equations for the clearing of marine stratus at San Francisco International Airport. Of particular interest is the forecast equations based on satelite data.

APPROACH

I will investigate a modification of the General Additive Model (GAM) approach to the development of nonlinear scaling of predictors. This approach seeks piecewise linear structure functions with a small number of knots. These models are determined by nonlinear optimization, where the objective function is the correlation coefficient of the predictor and the predictand. Since the number of degrees of freedom in this approach is substantially smaller than is required for traditional GAM or neural net developments, the process can be applied with considerably smaller training sets. Since the objective function is determined independently for each predictor, there is also the potential to apply SVD techniques for optimal predictor selection. This provides an additional advantage over GAM, where a change in the predictor list can modify the scaling of all of the predictors. Finally, these simpler stuctures lend themselves to an automated scaling strategy. A prototype automated scaling code has been developed, but has not yet been fully evaluated.

For the development of statistical forecast equations, three approaches are considered:

maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to ompleting and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding ar DMB control number.	ion of information. Send comment arters Services, Directorate for Info	s regarding this burden estimate ormation Operations and Reports	or any other aspect of the s, 1215 Jefferson Davis	nis collection of information, Highway, Suite 1204, Arlington	
1. REPORT DATE 30 SEP 2001		2. REPORT TYPE		3. DATES COVERED 00-00-2001 to 00-00-2001		
4. TITLE AND SUBTITLE		5a. CONTRACT NUMBER				
Efficient, Nearly O	s for Statistical	5b. GRANT NUMBER				
Forecast Equations				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)		5d. PROJECT NUMBER				
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) MIT Lincoln Laboratory,244 Wood St.,,Lexington,,MA,02173				8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITO		10. SPONSOR/MONITOR'S ACRONYM(S)				
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAII Approved for publ	LABILITY STATEMENT ic release; distributi	on unlimited				
13. SUPPLEMENTARY NOTES						
structure functions	this year are the dev s, to evaluate their u e for the improveme	tility for the develo	pment of statistic		-	
15. SUBJECT TERMS						
16. SECURITY CLASSIFIC	17. LIMITATION OF	18. NUMBER	19a. NAME OF			
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	OF PAGES 4	RESPONSIBLE PERSON	

Report Documentation Page

Form Approved OMB No. 0704-0188 Multi-Linear Regression provides forecast equations of the form

$$F = W_0 + \Sigma W_i P_i$$

The Generalized Additive Model approach provides forecast equations of the form

$$F = W_0 + \sum W_i f_i(P_i)$$

where the structure functions f_i are determined by the training data during the regression.

The modified Generalized Additive Model approach provides forecast equations of the form

$$F = W_0 + \sum W_i f_i(P_i)$$

where the structure functions f_i are determined by the training data, but prior to the regression.

WORK COMPLETED

We have completed two studies this year:

- 1. The development of a spread sheet technique for the selection of optimal piecewise linear structure functions.
- 2. The application of this technique to the development of statistical forecast equations for the clearing of marine stratus at San Francisco International Airport.

RESULTS

This technique has been applied for the development of two classes of forecast equations for the clearing of marine stratus at San Francisco International Airport. In the first case, the predictors are taken from measurements of the boundary layer structure near the airport, such as the height of the inversion base, the height of the ceiling, and the wind components. In the second case, the predictors are taken from statistical measures of clusters of visible satellite data, where the clusters are associated with a tiling of the region into meteorologically significant sectors.

In each case, forecast equations for the time of clearing are developed against conditional climatology, where the condition is that stratus is present at the time the forecast is issued. In every case, the modified GAM approach provided an improvement of the forecast equations over simple multilinear regression. One estimate of the magnitude of the improvement is the reduction of the mean absolute error (MAE). By this measure, the error reduction ranged from 6% to 15% compared with multilinear regression. Since the training data set is too limited for the application of GAM, it is not possible to make a direct comparison with the models that might be developed using traditional GAM techniques. However, these results are similar to the improvements, which are typically achieved in GAM applications.

IMPACT/APPLICATIONS

An important application of this technology would be to develop statistical forecast equations for 2-4 hour forecasts of ceiling and cloud evolution in regions that do not have a substantial local surface historical data archive. In this application, forecast equations could be developed based on archived satellite data, providing an opportunity to rapidly develop statistical forecast aids for regions that are unexpectedly thrust to the forefront.

TRANSITIONS

These techniques are being applied for the development of forecast products for use by the National Weather Service at San Francisco International Airport.

RELATED PROJECTS

The development and evaluation of these forecast aids is partially supported by the FAA's Aviation Weather Research Program for the forecast of the dissipation of low clouds at San Francisco International Airport.

REFERENCES

Vislocky, R.V., and J.M. Fritsch, 1995: Generalized Additive Models versus Linear Regression in Generating Probabilistic MOS Forecasts of Aviation Weather Parameters. *Weather and Forecasting*, **10**, pp. 669-680.

Wilson, F. W. and D. A. Clark, 2000: Forecast aids to lessen the impact of marine stratus on San Francisco International Airport, Preprints, Ninth Conference on Aviation, Range, and aerospace Meteorology, AMS, Orlando.